



---

## Alcohol/Drug Treatment Interpretive Report

---

MMPI-2™

The Minnesota Report™: Adult Clinical System-Revised, 4th Edition  
*James N. Butcher, PhD*

---

Name: Brian C.  
ID Number: 2518  
Age: 18  
Gender: Male  
Marital Status: Never Married  
Years of Education: 11  
Date Assessed: 04/09/1999




Copyright © 1989, 1993, 2001, 2005 by the Regents of the University of Minnesota. All rights reserved.  
Portions reproduced from the MMPI-2 test booklet. Copyright © 1942, 1943 (renewed 1970), 1989 by the Regents of the University of Minnesota. All rights reserved.  
Portions excerpted from the *MMPI-2 Manual for Administration, Scoring, and Interpretation, Revised Edition*. Copyright © 2001 by the Regents of the University of Minnesota. All rights reserved.  
Distributed exclusively under license from the University of Minnesota by NCS Pearson, Inc.  
"MMPI-2," "Minnesota Multiphasic Personality Inventory-2," and "The Minnesota Report" are trademarks of the University of Minnesota.

### TRADE SECRET INFORMATION

Not for release under HIPAA or other data disclosure laws that exempt trade secrets from disclosure.

MMPI-2 VALIDITY PATTERN




|             |     |     |     |     |     |     |     |     |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|
| Raw Score:  | 8   | 8   | 8   | 4   | 1   | 5   | 15  | 26  |
| T Score:    | 61  | 57F | 61  | 59  | 48  | 56  | 49  | 51  |
| Response %: | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |

Cannot Say (Raw): 0  
 Percent True: 37  
 Percent False: 63

|                                      | Raw Score | T Score | Resp. % |
|--------------------------------------|-----------|---------|---------|
| S1 - Beliefs in Human Goodness       | 5         | 44      | 100     |
| S2 - Serenity                        | 7         | 53      | 100     |
| S3 - Contentment with Life           | 4         | 50      | 100     |
| S4 - Patience/Denial of Irritability | 7         | 63      | 100     |
| S5 - Denial of Moral Flaws           | 2         | 43      | 100     |

MMPI-2 CLINICAL AND SUPPLEMENTARY SCALES PROFILE



|               |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |   |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|
| Raw Score:    | 7   | 18  | 26  | 28  | 29  | 14  | 10  | 17  | 27  | 21  | 28  | 23  | 6   | 11  | 14  | * |
| K Correction: | 8   |     |     | 6   |     |     | 15  | 15  | 3   |     |     |     |     |     |     |   |
| T Score:      | 57  | 50  | 61  | 77  | 56  | 64  | 47  | 60  | 78  | 46  | 66  | 49  | 65  | 55  | 45  | * |
| Response %:   | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | * |

Welsh Code: 94+638-152/70: F-L/K:

Profile Elevation: 61.8

\*MDS scores are reported only for clients who indicate that they are married or separated.



## PROFILE VALIDITY

His MMPI-2 clinical profile is probably valid. The client's responses to the MMPI-2 validity items suggest that he cooperated with the evaluation enough to provide useful interpretive information. The resulting clinical profile is an adequate indication of his present personality functioning.

## SYMPTOMATIC PATTERNS

The MMPI-2 profile configuration with Scales Pd and Ma as the prototype was used to develop this report. This profile configuration shows very high definition. A high degree of confidence can be placed in the behavioral descriptions from the clinical scales that are provided in this report because the client's profile closely matches the prototype pattern in research literature that defines this profile type. The client appears to have long-standing impulse-control problems. Extroverted, uninhibited, and rather self-indulgent, he has a low frustration tolerance and a need for constant stimulation that cause him to behave recklessly or irresponsibly at times. He apparently has an exaggerated sense of importance and may have grandiose plans. He has a gift for charming others and for appearing self-confident, but he may actually feel quite insecure and inadequate. This pattern of behavior reflects a number of persistent personality characteristics and is unlikely to change much over time. Some individuals with this profile tend to "burn out" in later life and act out less, in which case a different pattern of symptoms might emerge, including somatic distress, anxiety, and depression.

He becomes involved in numerous activities, does not follow through sufficiently on commitments, and tends to deny problems or blame them on others. He may be having symptoms of irritation, agitation, changeable moods, and overactivity, and he may explode angrily when he becomes frustrated. Many individuals with this profile develop problems in day-to-day living.

In addition, the following description is suggested by the client's scores on the content scales. He shows a tendency to reject authority and may have conflicts over rules. The client does not appear to be an overly anxious person prone to developing unrealistic fears. Any fears he reports are likely to be viewed by him as reality-based rather than internally generated.

## PROFILE FREQUENCY

It is usually valuable in MMPI-2 clinical profile interpretation to take into consideration the relative frequency of a given profile pattern in various settings. The client's MMPI-2 high-point clinical scale score (Ma), the highest scale score peak in his profile, was found in 15.2% of the MMPI-2 normative sample of men. Moreover, 8.3% of the sample had Ma as the peak score at or above a T score of 65, and 6.3% had well-defined Ma spikes. This elevated MMPI-2 profile configuration (4-9/9-4) is very rare in samples of normals, occurring in less than 1% of the MMPI-2 normative sample of men.

A high-point Ma score was found in 16.11% of the cases in a sample of 832 men evaluated in a drug and alcohol treatment setting (McKenna & Butcher, 1987). Well-defined spikes with T scores of 65 or higher on Ma were found in 8.17% of these men. The Ma scale had the second highest frequency of well-defined high-point spikes in the data set. This individual's two-point profile configuration (4-9/9-4) was found in 10.22% of the men in the McKenna and Butcher sample. A well-defined profile with T

scores of 65 or higher was found in 1.08% of the cases with well-defined profiles.

## **PROFILE STABILITY**

The relative elevation of the highest scales in his clinical profile shows very high profile definition. His scores on Pd and Ma are likely to be very prominent in his profile if he is retested at a later date.

## **INTERPERSONAL RELATIONS**

A natural ability to charm, persuade, or even con others is usually found in individuals with this profile. They are very sociable and outgoing, but their relationships are usually quite superficial and manipulative. They tend not to be open and honest in relationships. He appears to act impulsively and may become involved in difficult relationships. He may hedonistically use other people for his own satisfaction without concern for them.

## **DIAGNOSTIC CONSIDERATIONS**

Individuals with this profile are usually diagnosed as having a Personality Disorder. The possibility of a Cyclothymic Disorder should be evaluated, however.

He appears to have a number of personality characteristics that have been associated with substance use or abuse problems. His scores on the addiction proneness indicators suggest that there is a possibility of his developing an addictive disorder. In his responses to the MMPI-2, he acknowledged some problems with excessive use or abuse of addictive substances. Further evaluation for the likelihood of a substance use or abuse disorder is indicated.

## **TREATMENT CONSIDERATIONS**

Patients in alcohol or drug treatment with this profile tend not to seek psychological treatment on their own and are often seen in counseling only because of life problems resulting from their impulsive or irresponsible behavior. They usually seek counseling only at the insistence of another person. They may appear to be cooperative and to enjoy therapy for a time, but they usually resist any demands that they alter their behavior because they are not very introspective and see little reason to change.

Individuals with this profile assume little responsibility for their problems. Their acting-out behavior is likely to be destructive to treatment planning.

His acknowledged problems with alcohol or drug use should be addressed in therapy.

**ADDITIONAL SCALES**

|  | Raw Score | T Score | Resp % |
|--|-----------|---------|--------|
| <b>Personality Psychopathology Five (PSY-5) Scales</b> |           |         |        |
| Aggressiveness (AGGR)                                  | 8         | 48      | 100    |
| Psychoticism (PSYC)                                    | 3         | 49      | 100    |
| Disconstraint (DISC)                                   | 18        | 60      | 100    |
| Negative Emotionality/Neuroticism (NEGE)               | 5         | 43      | 100    |
| Introversion/Low Positive Emotionality (INTR)          | 11        | 50      | 100    |
| <b>Supplementary Scales</b>                            |           |         |        |
| Anxiety (A)  | 8         | 47      | 100    |
| Repression (R)   | 19        | 58      | 100    |
| Ego Strength (Es)                                      | 39        | 54      | 100    |
| Dominance (Do)   | 13        | 38      | 100    |
| Social Responsibility (Re)                             | 18        | 45      | 100    |
| <b>Harris-Lingoes Subscales</b>                        |           |         |        |
| <b>Depression Subscales</b>                            |           |         |        |
| Subjective Depression (D1)                             | 9         | 56      | 100    |
| Psychomotor Retardation (D2)                           | 4         | 43      | 100    |
| Physical Malfunctioning (D3)                           | 4         | 59      | 100    |
| Mental Dullness (D4)                                   | 4         | 58      | 100    |
| Brooding (D5)  | 1         | 45      | 100    |
| <b>Hysteria Subscales</b>                              |           |         |        |
| Denial of Social Anxiety (Hy1)                         | 6         | 61      | 100    |
| Need for Affection (Hy2)                               | 8         | 55      | 100    |
| Lassitude-Malaise (Hy3)                                | 5         | 61      | 100    |
| Somatic Complaints (Hy4)                               | 3         | 52      | 100    |
| Inhibition of Aggression (Hy5)                         | 3         | 48      | 100    |
| <b>Psychopathic Deviate Subscales</b>                  |           |         |        |
| Familial Discord (Pd1)                                 | 3         | 58      | 100    |
| Authority Problems (Pd2)                               | 7         | 73      | 100    |
| Social Imperturbability (Pd3)                          | 6         | 63      | 100    |
| Social Alienation (Pd4)                                | 4         | 50      | 100    |
| Self-Alienation (Pd5)                                  | 8         | 72      | 100    |
| <b>Paranoia Subscales</b>                              |           |         |        |
| Persecutory Ideas (Pa1)                                | 4         | 64      | 100    |
| Poignancy (Pa2)  | 3         | 55      | 100    |
| Naivete (Pa3)  | 5         | 51      | 100    |

|   | Raw Score | T Score | Resp % |
|---|-----------|---------|--------|
| <b>Schizophrenia Subscales</b>  |           |         |        |
| Social Alienation (Sc1)   | 5         | 59      | 100    |
| Emotional Alienation (Sc2)  | 2         | 59      | 100    |
| Lack of Ego Mastery, Cognitive (Sc3)  | 3         | 60      | 100    |
| Lack of Ego Mastery, Conative (Sc4)   | 3         | 55      | 100    |
| Lack of Ego Mastery, Defective Inhibition (Sc5)                                     | 1         | 47      | 100    |
| Bizarre Sensory Experiences (Sc6)   | 4         | 60      | 100    |
| <b>Hypomania Subscales</b>  |           |         |        |
| Amorality (Ma1)   | 4         | 66      | 100    |
| Psychomotor Acceleration (Ma2)  | 5         | 49      | 100    |
| Imperturbability (Ma3)  | 6         | 65      | 100    |
| Ego Inflation (Ma4)   | 5         | 63      | 100    |
| <b>Social Introversion Subscales (Ben-Porath, Hostetler, Butcher, &amp; Graham)</b> |           |         |        |
| Shyness/Self-Consciousness (Si1)  | 1         | 39      | 100    |
| Social Avoidance (Si2)  | 1         | 41      | 100    |
| Alienation--Self and Others (Si3)   | 5         | 50      | 100    |

Uniform T scores are used for Hs, D, Hy, Pd, Pa, Pt, Sc, Ma, the content scales, the content component scales, and the PSY-5 scales. The remaining scales and subscales use linear T scores.

### CONTENT COMPONENT SCALES (Ben-Porath & Sherwood)

|                                    | Raw Score | T Score | Resp % |
|------------------------------------|-----------|---------|--------|
| <b>Fears Subscales</b>             |           |         |        |
| Generalized Fearfulness (FRS1)     | 0         | 44      | 100    |
| Multiple Fears (FRS2)              | 0         | 37      | 100    |
| <b>Depression Subscales</b>        |           |         |        |
| Lack of Drive (DEP1)               | 3         | 57      | 100    |
| Dysphoria (DEP2)                   | 1         | 50      | 100    |
| Self-Depreciation (DEP3)           | 1         | 48      | 100    |
| Suicidal Ideation (DEP4)           | 0         | 45      | 100    |
| <b>Health Concerns Subscales</b>   |           |         |        |
| Gastrointestinal Symptoms (HEA1)   | 0         | 44      | 100    |
| Neurological Symptoms (HEA2)       | 3         | 60      | 100    |
| General Health Concerns (HEA3)     | 1         | 48      | 100    |
| <b>Bizarre Mentation Subscales</b> |           |         |        |
| Psychotic Symptomatology (BIZ1)    | 0         | 44      | 100    |
| Schizotypal Characteristics (BIZ2) | 3         | 60      | 100    |

|  | Raw Score | T Score | Resp % |
|--|-----------|---------|--------|
| <b>Anger Subscales</b>                         |           |         |        |
| Explosive Behavior (ANG1)                      | 4         | 64      | 100    |
| Irritability (ANG2)                            | 1         | 41      | 100    |
| <b>Cynicism Subscales</b>                      |           |         |        |
| Misanthropic Beliefs (CYN1)                    | 7         | 52      | 100    |
| Interpersonal Suspiciousness (CYN2)            | 3         | 48      | 100    |
| <b>Antisocial Practices Subscales</b>          |           |         |        |
| Antisocial Attitudes (ASP1)                    | 8         | 55      | 100    |
| Antisocial Behavior (ASP2)                     | 3         | 59      | 100    |
| <b>Type A Subscales</b>                        |           |         |        |
| Impatience (TPA1)                              | 1         | 39      | 100    |
| Competitive Drive (TPA2)                       | 1         | 39      | 100    |
| <b>Low Self-Esteem Subscales</b>               |           |         |        |
| Self-Doubt (LSE1)                              | 1         | 44      | 100    |
| Submissiveness (LSE2)                          | 1         | 48      | 100    |
| <b>Social Discomfort Subscales</b>             |           |         |        |
| Introversion (SOD1)                            | 1         | 39      | 100    |
| Shyness (SOD2)                                 | 0         | 36      | 100    |
| <b>Family Problems Subscales</b>               |           |         |        |
| Family Discord (FAM1)                          | 4         | 55      | 100    |
| Familial Alienation (FAM2)                     | 2         | 58      | 100    |
| <b>Negative Treatment Indicators Subscales</b> |           |         |        |
| Low Motivation (TRT1)                          | 1         | 48      | 100    |
| Inability to Disclose (TRT2)                   | 0         | 37      | 100    |

## CRITICAL ITEMS

The following critical items have been found to have possible significance in analyzing a client's problem situation. Although these items may serve as a source of hypotheses for further investigation, caution should be used in interpreting individual items because they may have been checked inadvertently.

The percentages of endorsement for each critical item are presented in brackets following the listing of the item. The percentage of the MMPI-2 normative sample of 1,138 men who endorsed the item in the scored direction is given.

### Acute Anxiety State (Koss-Butcher Critical Items)

Of the 17 possible items in this section, 3 were endorsed in the scored direction:

- 3. Omitted Item (False)  
[N = 31.5]
- 208. Omitted Item (False)  
[N = 30.0]
- 218. Omitted Item (True)  
[N = 30.1]



#### Special Note:

The content of the test items is included in the actual reports. To protect the integrity of the test, the item content does not appear in this sample report.

### Depressed Suicidal Ideation (Koss-Butcher Critical Items)

Of the 22 possible items in this section, 4 were endorsed in the scored direction:

- 9. Omitted Item (False)  
[N = 14.4]
- 71. Omitted Item (True)  
[N = 30.7]
- 215. Omitted Item (True)  
[N = 14.6]
- 518. Omitted Item (True)  
[N = 27.3]

### Threatened Assault (Koss-Butcher Critical Items)

Of the 5 possible items in this section, 2 were endorsed in the scored direction:

- 37. Omitted Item (True)  
[N = 39.4]
- 134. Omitted Item (True)  
[N = 16.0]

---

**Situational Stress Due to Alcoholism (Koss-Butcher Critical Items)**

Of the 7 possible items in this section, 5 were endorsed in the scored direction:

- 264. Omitted Item (True)  
[N = 44.5]
- 487. Omitted Item (True)  
[N = 34.2]
- 489. Omitted Item (True)  
[N = 6.7]
- 502. Omitted Item (True)  
[N = 27.8]
- 518. Omitted Item (True)  
[N = 27.3]

**Mental Confusion (Koss-Butcher Critical Items)**

Of the 11 possible items in this section, 3 were endorsed in the scored direction:

- 31. Omitted Item (True)  
[N = 13.3]
- 32. Omitted Item (True)  
[N = 23.8]
- 316. Omitted Item (True)  
[N = 14.9]

**Persecutory Ideas (Koss-Butcher Critical Items)**

Of the 16 possible items in this section, 2 were endorsed in the scored direction:

- 17. Omitted Item (True)  
[N = 5.2]
- 333. Omitted Item (True)  
[N = 6.2]

**Antisocial Attitude (Lachar-Wrobel Critical Items)**

Of the 9 possible items in this section, 3 were endorsed in the scored direction:

- 35. Omitted Item (True)  
[N = 58.0]
- 105. Omitted Item (True)  
[N = 30.9]
- 266. Omitted Item (False)  
[N = 40.9]

### **Family Conflict (Lachar-Wrobel Critical Items)**

Of the 4 possible items in this section, 1 was endorsed in the scored direction:

- 21. Omitted Item (True)  
[N = 31.9]

### **Somatic Symptoms (Lachar-Wrobel Critical Items)**

Of the 23 possible items in this section, 4 were endorsed in the scored direction:

- 142. Omitted Item (False)  
[N = 7.2]
- 255. Omitted Item (False)  
[N = 21.7]
- 295. Omitted Item (False)  
[N = 14.5]
- 464. Omitted Item (True)  
[N = 24.5]

### **End of Report**

---

NOTE: This MMPI-2 interpretation can serve as a useful source of hypotheses about clients. This report is based on objectively derived scale indices and scale interpretations that have been developed in diverse groups of patients. The personality descriptions, inferences, and recommendations contained herein need to be verified by other sources of clinical information because individual clients may not fully match the prototype. The information in this report should only be used by a trained and qualified test interpreter. The report was not designed or intended to be provided directly to clients. The information contained in the report is technical and was developed to aid professional interpretation.

This and previous pages of this report contain trade secrets and are not to be released in response to requests under HIPAA (or any other data disclosure law that exempts trade secret information from release). Further, release in response to litigation discovery demands should be made only in accordance with your profession's ethical guidelines and under an appropriate protective order.

---

## ITEM RESPONSES

1: 1 2: 1 3: 2 4: 2 5: 2 6: 1 7: 2 8: 1 9: 2 10: 1  
11: 2 12: 1 13: 1 14: 1 15: 2 16: 2 17: 1 18: 2 19: 2 20: 1  
21: 1 22: 2 23: 2 24: 2 25: 1 26: 1 27: 2 28: 2 29: 1 30: 2  
31: 1 32: 1 33: 1 34: 1 35: 1 36: 1 37: 1 38: 2 39: 2 40: 2  
41: 1 42: 2 43: 2 44: 2 45: 1 46: 2 47: 1 48: 2 49: 1 50: 2  
51: 1 52: 1 53: 2 54: 2 55: 2 56: 2 57: 1 58: 1 59: 2 60: 2  
61: 1 62: 2 63: 1 64: 2 65: 2 66: 2 67: 1 68: 2 69: 2 70: 2  
71: 1 72: 2 73: 1 74: 2 75: 1 76: 2 77: 1 78: 1 79: 2 80: 2  
81: 2 82: 2 83: 1 84: 2 85: 2 86: 1 87: 2 88: 1 89: 1 90: 1  
91: 1 92: 2 93: 1 94: 2 95: 1 96: 2 97: 2 98: 1 99: 2 100: 2  
101: 2 102: 1 103: 2 104: 2 105: 1 106: 1 107: 2 108: 1 109: 1 110: 1  
111: 2 112: 1 113: 1 114: 2 115: 1 116: 2 117: 2 118: 2 119: 2 120: 1  
121: 1 122: 1 123: 1 124: 2 125: 1 126: 1 127: 2 128: 1 129: 2 130: 2  
131: 1 132: 2 133: 2 134: 1 135: 2 136: 2 137: 2 138: 2 139: 1 140: 1  
141: 1 142: 2 143: 2 144: 2 145: 2 146: 2 147: 2 148: 2 149: 2 150: 2  
151: 2 152: 1 153: 2 154: 2 155: 1 156: 1 157: 1 158: 2 159: 1 160: 2  
161: 2 162: 2 163: 1 164: 1 165: 1 166: 2 167: 2 168: 2 169: 1 170: 2  
171: 2 172: 2 173: 2 174: 2 175: 2 176: 1 177: 1 178: 2 179: 1 180: 2  
181: 1 182: 2 183: 2 184: 1 185: 2 186: 1 187: 2 188: 1 189: 2 190: 1  
191: 2 192: 1 193: 2 194: 2 195: 2 196: 2 197: 2 198: 2 199: 1 200: 1  
201: 2 202: 1 203: 1 204: 1 205: 1 206: 2 207: 2 208: 2 209: 1 210: 1  
211: 2 212: 1 213: 2 214: 1 215: 1 216: 2 217: 2 218: 1 219: 1 220: 2  
221: 2 222: 1 223: 1 224: 1 225: 2 226: 1 227: 2 228: 2 229: 2 230: 1  
231: 2 232: 2 233: 2 234: 2 235: 2 236: 2 237: 1 238: 1 239: 2 240: 2  
241: 2 242: 2 243: 2 244: 1 245: 2 246: 2 247: 2 248: 2 249: 2 250: 1  
251: 2 252: 2 253: 1 254: 2 255: 2 256: 2 257: 1 258: 1 259: 2 260: 1  
261: 2 262: 1 263: 2 264: 1 265: 2 266: 2 267: 1 268: 2 269: 1 270: 1  
271: 2 272: 2 273: 2 274: 2 275: 2 276: 1 277: 1 278: 1 279: 1 280: 1  
281: 2 282: 2 283: 2 284: 1 285: 1 286: 2 287: 1 288: 2 289: 2 290: 2  
291: 2 292: 2 293: 1 294: 2 295: 2 296: 1 297: 1 298: 2 299: 2 300: 2  
301: 2 302: 2 303: 2 304: 2 305: 1 306: 2 307: 2 308: 2 309: 2 310: 2  
311: 2 312: 2 313: 2 314: 1 315: 2 316: 1 317: 2 318: 2 319: 2 320: 2  
321: 1 322: 2 323: 2 324: 2 325: 2 326: 2 327: 2 328: 2 329: 2 330: 1  
331: 2 332: 2 333: 1 334: 2 335: 2 336: 2 337: 2 338: 1 339: 1 340: 1  
341: 1 342: 2 343: 1 344: 2 345: 1 346: 1 347: 2 348: 1 349: 2 350: 2  
351: 2 352: 1 353: 1 354: 2 355: 2 356: 2 357: 1 358: 2 359: 1 360: 1  
361: 2 362: 1 363: 2 364: 2 365: 1 366: 2 367: 2 368: 2 369: 2 370: 1  
371: 2 372: 1 373: 2 374: 1 375: 2 376: 2 377: 2 378: 2 379: 2 380: 2  
381: 2 382: 2 383: 1 384: 2 385: 1 386: 2 387: 2 388: 1 389: 2 390: 2  
391: 2 392: 2 393: 2 394: 2 395: 2 396: 2 397: 2 398: 1 399: 2 400: 2  
401: 1 402: 2 403: 1 404: 1 405: 1 406: 2 407: 2 408: 2 409: 2 410: 1  
411: 2 412: 2 413: 2 414: 1 415: 2 416: 2 417: 2 418: 1 419: 2 420: 2  
421: 2 422: 1 423: 2 424: 2 425: 1 426: 2 427: 2 428: 1 429: 2 430: 2  
431: 2 432: 2 433: 2 434: 1 435: 2 436: 2 437: 2 438: 2 439: 2 440: 1

---

441: 2 442: 2 443: 1 444: 2 445: 1 446: 2 447: 2 448: 2 449: 2 450: 2  
451: 2 452: 2 453: 1 454: 2 455: 1 456: 1 457: 2 458: 2 459: 1 460: 1  
461: 2 462: 1 463: 2 464: 1 465: 2 466: 2 467: 1 468: 2 469: 2 470: 1  
471: 2 472: 2 473: 2 474: 2 475: 2 476: 2 477: 2 478: 2 479: 2 480: 2  
481: 1 482: 2 483: 2 484: 2 485: 2 486: 1 487: 1 488: 2 489: 1 490: 1  
491: 2 492: 1 493: 1 494: 1 495: 2 496: 1 497: 1 498: 2 499: 2 500: 2  
501: 1 502: 1 503: 2 504: 2 505: 1 506: 2 507: 2 508: 2 509: 2 510: 2  
511: 2 512: 2 513: 2 514: 2 515: 2 516: 2 517: 1 518: 1 519: 1 520: 2  
521: 1 522: 2 523: 2 524: 2 525: 2 526: 1 527: 2 528: 2 529: 2 530: 2  
531: 2 532: 2 533: 2 534: 2 535: 1 536: 2 537: 2 538: 1 539: 2 540: 2  
541: 1 542: 2 543: 2 544: 2 545: 2 546: 2 547: 1 548: 1 549: 2 550: 1  
551: 2 552: 1 553: 2 554: 2 555: 2 556: 1 557: 2 558: 2 559: 2 560: 2  
561: 2 562: 1 563: 1 564: 1 565: 2 566: 2 567: 2